Modification Recommended Service Note

Supersedes: NONE

N8934A Autoranging System DC Power Supply

Serial Numbers: DE22350000 to DE23089999

The Problem – Unit may encounter intermittently keypad stuck when pressing the keys at front panel.

Parts Required:

P/N Description Qty. 5003-2054 Keypad 1

ADMINISTRATIVE INFORMATION

ACTION CATEGORY:	[X] ON SPECIFIED FAILURE [[]] AGREEABLE TIME	STANDARDS LABOR: 1 Hour			
LOCATION CATEGORY:	[X] SERVICE CENTER [[]] ON-SITE (active On-site contract required) [[]] CHANNEL PARTNERS	SERVICE: INVENTORY:	[[]] RETURN [[]] SCRAP [X] SEE TEXT	USED PARTS:	[[]] RETURN [X] SCRAP [[]] SEE TEXT
AVAILABILITY: PRODUCT'S SUPPORT LIFE		NO CHARGE AVAILABLE UNTIL: 20 th June 2024			
[[]] Calibration Required [X] Calibration NOT Required		PRODUCT LINE: SP AUTHOR: LIM ZHAN MING			

ADDITIONAL INFORMATION: No impact on service inventory



Situation

Unit in the above serial number range may intermittently encounter keypad stuck when pressing the keys at front panel. Figure 1 shows an example of a stuck keypad, which could occur with any of the keys.

However, there is no impact on the product performance.



Figure 1: Stuck Keypad

Solution/Action:

Kindly contact Keysight Technologies Customer Contact Center at www.keysight.com/find/contactus for sending the affected unit back.

Revision History:

Date	Service Note Revision	Author	Reason for Change
12 th June 2023	01	LIM ZHAN MING	As Published
12. Julie 2023	UT	LIW ZHAN WING	AS Fublished